

Noble

2013

U.S. DEPARTMENT OF COMMERCE
Patent and Trademark Office



162197

SEARCH REQUEST FORM

Requestor's Name: BERCH Serial Number: US03/39554D

Date: 5/17/84 Phone: 571-272-0663 Art Unit: 1624
Office Rem SCO1 Mailbox 5C18

Search Topic:
Please write a detailed statement of search topic. Describe specifically as possible the subject matter to be searched. Define any terms that may have a special meaning. Give examples or relevant citations, authors, keywords, etc., if known. For sequences, please attach a copy of the sequence. You may include a copy of the broadest and/or most relevant claim(s).



Claims 43 -
4 of 6
Gp I

STAFF USE ONLY

Date completed: 5/26/84
Searcher: Noble
Terminal time: 15 MIN
Elapsed time: _____
CPU time: 20 MIN
Total time: _____
Number of Searches: _____
Number of Databases: _____

Search Site
____ STIC
____ CM-1
____ Pre-S
Type of Search
____ N.A. Sequence
____ A.A. Sequence
____ 2 Structure
____ Bibliographic

Vendors
____ IG
237 ~~STN~~ STN
____ Dialog
____ APS
____ Geninfo
____ SDC
____ DARC/Questel
____ Other



STIC SEARCH RESULTS FEEDBACK FORM

Biotech-Chem Library

Questions about the scope or the results of the search? Contact *the searcher* or *contact*:

Mary Hale, Information Branch Supervisor
Remsen Bldg. 01 D86
571-272-2507

Voluntary Results Feedback Form

➤ I am an examiner in Workgroup: Example: 1610

➤ Relevant prior art **found**, search results used as follows:

- ☐ 102 rejection
- ☐ 103 rejection
- ☐ Cited as being of interest.
- ☐ Helped examiner better understand the invention.
- ☐ Helped examiner better understand the state of the art in their technology.

Types of relevant prior art found:

- ☐ Foreign Patent(s)
- ☐ Non-Patent Literature
(journal articles, conference proceedings, new product announcements etc.)

➤ Relevant prior art **not found**:

- ☐ Results verified the lack of relevant prior art (helped determine patentability).
- ☐ Results were not useful in determining patentability or understanding the invention.

Comments:

Drop off or send completed forms to STIC-Biotech-Chem Library Remsen Bldg



=> d his

FILE 'REGISTRY' ENTERED AT 11:58:25 ON 26 MAY 2004
L1 STR
L2 SCR 2026
L3 1 L1 AND L2
L4 39 L1 AND L2 FULL
SAVE TEMP BER554FUL/A L4
L5 STR L1
L6 STR L5
L7 0 L6 SAM SUB=L4
L8 2 L6 FULL SUB=L4

FILE 'HCAPLUS' ENTERED AT 12:39:04 ON 26 MAY 2004
L9 0 S L8

FILE 'USPATFULL, USPAT2' ENTERED AT 12:39:19 ON 26 MAY 2004
L10 0 S L8

FILE 'HCAOLD' ENTERED AT 12:39:41 ON 26 MAY 2004
L11 0 S L8

FILE 'BEILSTEIN' ENTERED AT 12:40:11 ON 26 MAY 2004
L12 0 S L8 FULL

FILE 'REGISTRY' ENTERED AT 13:09:51 ON 26 MAY 2004
L13 37 S L4 NOT L8

=> b reg

FILE 'REGISTRY' ENTERED AT 12:51:08 ON 26 MAY 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 25 MAY 2004 HIGHEST RN 685826-98-6
DICTIONARY FILE UPDATES: 25 MAY 2004 HIGHEST RN 685826-98-6

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 6, 2004


Please note that search-term pricing does apply when
conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more
information enter HELP PROP at an arrow prompt in the file or refer
to the file summary sheet on the web at:
<http://www.cas.org/ONLINE/DBSS/registryss.html>

=> d que stat l8



L1 STR



VAR G1=O/X
 NODE ATTRIBUTES:
 DEFAULT MLEVEL IS ATOM
 DEFAULT ECLEVEL IS LIMITED
 ECOUNT IS E5 C AT 12

GRAPH ATTRIBUTES:
 RING(S) ARE ISOLATED OR EMBEDDED
 NUMBER OF NODES IS 12

STEREO ATTRIBUTES: NONE
 L2 SCR 2026
 L4 39 SEA FILE=REGISTRY SSS FUL L1 AND L2
 L6 STR



O~G3
 @27 28

C @29 O @30

VAR G1=X/27
 VAR G2=29/30
 VAR G3=20/H
 NODE ATTRIBUTES:
 NSPEC IS RC AT 29
 NSPEC IS RC AT 30
 DEFAULT MLEVEL IS ATOM
 DEFAULT ECLEVEL IS LIMITED
 ECOUNT IS E5 C AT 12

GRAPH ATTRIBUTES:
 RING(S) ARE ISOLATED OR EMBEDDED
 NUMBER OF NODES IS 30

STEREO ATTRIBUTES: NONE

L8 2 SEA FILE=REGISTRY SUB=L4 SSS FUL L6

100.0% PROCESSED 39 ITERATIONS

2 ANSWERS

SEARCH TIME: 00.00.01

=> d ide can l8 tot

L8 ANSWER 1 OF 2 REGISTRY COPYRIGHT 2004 ACS on STN

RN 649761-24-0 REGISTRY


CN 6H-Purin-6-one, 2-amino-9-[(1S,3R,4S)-4-(dimethylphenylsilyl)-2-methylene-3-[(phenylmethoxy)methyl]cyclopentyl]-1,9-dihydro- (9CI) (CA INDEX NAME)

FS STEREOSEARCH

MF C27 H31 N5 O2 Si

SR CAS Client Services

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L8 ANSWER 2 OF 2 REGISTRY COPYRIGHT 2004 ACS on STN

RN 649761-23-9 REGISTRY


CN Cyclopentanemethanol, 5-[2-amino-6-(phenylmethoxy)-9H-purin-9-yl]-3-(dimethylphenylsilyl)-1-hydroxy-2-[(phenylmethoxy)methyl]-, (1S,2S,3S,5S)- (9CI) (CA INDEX NAME)

FS STEREOSEARCH

MF C34 H39 N5 O4 Si

SR CAS Client Services

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


=> d sca

L13 37 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN

IN 9H-Purin-2-amine, 9-[4-[3-[[[(1,1-dimethylethyl)dimethylsilyl]oxy]propoxy]-2-cyclopenten-1-yl]-6-methoxy-N-[(4-methoxyphenyl)diphenylmethyl]-, cis-(9CI)

MF C40 H49 N5 O4 Si

Relative stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):36

L13 37 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN

IN 9H-Purin-2-amine, 9-[3,4-bis[[[(1,1-dimethylethyl)diphenylsilyl]oxy]methyl]-2-fluorocyclopentyl]-6-chloro-, [1S-(1 α ,2 β ,3 α ,4 β)]-(9CI)

MF C44 H51 Cl F N5 O2 Si2


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L13 37 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 6H-Purin-6-one, 2-amino-9-[4-[[[dimethyl(1,1,2-trimethylpropyl)silyl]oxy]methyl]-2-cyclopenten-1-yl]-1,9-dihydro-,
 (1R-cis)- (9CI)
 MF C19 H31 N5 O2 Si


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L13 37 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 9H-Purin-2-amine, 6-chloro-9-[4-[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-2-(methylthio)cyclopentyl]-, (1 α ,2 β ,4 α)- (9CI)
 MF C18 H30 Cl N5 O S Si


Relative stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L13 37 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN Methanimidamide, N'-[9-[(1S,3S,4S)-4-[[[(1,1-dimethylethyl)dimethylsilyl]oxy]-3-formyl-2-methylenecyclopentyl]-6,9-dihydro-6-oxo-1H-purin-2-yl]-N,N-dimethyl- (9CI)
 MF C21 H32 N6 O3 Si


Absolute stereochemistry..
 Double bond geometry unknown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L13 37 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN Cyclopentaneacetic acid, 4-[1,6-dihydro-2-[(2-methyl-1-oxopropyl)amino]-6-oxo-9H-purin-9-yl]-2-[[[(1,1-dimethylethyl)diphenylsilyl]oxy]methyl]-, methyl ester, (1 α ,2 β ,4 α)- (9CI)
 MF C34 H43 N5 O5 Si


Relative stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L13 37 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 9H-Purin-2-amine, 9-[3,4-bis[[[(1,1-dimethylethyl)diphenylsilyl]oxy]methyl
]-2-cyclopenten-1-yl]-6-chloro-, trans- (9CI)
 MF C44 H50 Cl N5 O2 Si2


Relative stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L13 37 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 6H-Purin-6-one, 2-amino-9-[4-[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methy
 l]-2,3-dihydroxycyclopentyl]-1,9-dihydro-, [1R-
 (1 α ,2 β ,3 β ,4 α)]- (9CI)
 MF C17 H29 N5 O4 Si


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L13 37 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 9H-Purin-2-amine, 6-chloro-9-[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-4-[[[(1,1-dimethylethyl)diphenylsilyl]oxy]methyl]-2-cyclopenten-1-yl]-, (1 α ,4 α ,5 β)- (9CI)
 MF C34 H46 Cl N5 O2 Si2


Relative stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L13 37 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN Propanamide, N-[9-[3-[[[(1,1-dimethylpropyl)dimethylsilyl]oxy]-4-[(triphenylmethoxy)methyl]cyclopentyl]-6-[2-(4-nitrophenyl)ethoxy]-9H-purin-2-yl]-2-methyl-, [1R-(1 α ,3 β ,4 α)]- (9CI)
 MF C49 H58 N6 O6 Si


Absolute stereochemistry. Rotation (+).



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L13 37 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 2-Cyclopentene-1-acetic acid, 4-(2-amino-6-chloro-9H-purin-9-yl)- α -nitro-, 2-(trimethylsilyl)ethyl ester, [1 α (S*),4 α]- (9CI)
 MF C17 H23 Cl N6 O4 Si


Relative stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L13 37 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 9H-Purin-2-amine, 9-[2-[2-[(1,1-dimethylethyl)dimethylsilyl]oxy]ethyl]cyclopentyl]-6-methoxy-, trans- (9CI)
 MF C19 H33 N5 O2 Si


Relative stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L13 37 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN Methanimidamide, N'-[9-[(1S,3R,4S)-4-[[[(1,1-dimethylethyl)dimethylsilyl]oxy]-3-(hydroxymethyl)-2-methylenecyclopentyl]-6,9-dihydro-6-oxo-1H-purin-2-yl]-N,N-dimethyl- (9CI)
 MF C21 H33 N6 O3 Si T

Absolute stereochemistry.
 Double bond geometry unknown.



L13 37 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 9H-Purin-2-amine, 6-chloro-9-[4-[[[dimethyl(1,1,2-trimethylpropyl)silyl]oxy]methyl]-2-cyclopenten-1-yl]-, cis- (9CI)
 MF C19 H30 Cl N5 O Si


Relative stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L13 37 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 9H-Purin-2-amine, 9-[3,4-bis[[[(1,1-dimethylethyl)diphenylsilyl]oxy]methyl
]-2-cyclopenten-1-yl]-6-chloro-, cis- (9CI)
 MF C44 H50 Cl N5 O2 Si2


Relative stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L13 37 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 6H-Purin-6-one, 2-amino-9-[4-[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methy
 l]-2-cyclopenten-1-yl]-1,9-dihydro-, (1R-cis)- (9CI)
 MF C17 H27 N5 O2 Si


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L13 37 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 9H-Purin-2-amine, 6-chloro-9-[4-[[[(1,1-dimethylethyl)diphenylsilyl]oxy]methyl]-2-(methylthio)cyclopentyl]-, (1 α ,2 β ,4 α)- (9CI)
 MF C28 H34 Cl N5 O S Si

Relative stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L13 37 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 6H-Purin-6-one, 9-[(1S,3R,4S)-3-[[bis(4-methoxyphenyl)phenylmethoxy]methyl]-4-[[[(1,1-dimethylethyl)dimethylsilyl]oxy]-2-methylenecyclopentyl]-2-[[bis(4-methoxyphenyl)phenylmethyl]amino]-1,9-dihydro- (9CI)
 MF C60 H65 N5 O7 Si

Absolute stereochemistry.

PAGE 1-A




PAGE 2-A



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L13 37 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 2-Cyclopentene-1-acetic acid, 4-(2-amino-6-chloro-9H-purin-9-yl)- α -
 nitro-, 2-(trimethylsilyl)ethyl ester, [1 α (R*),4 α]- (9CI)
 MF C17 H23 Cl N6 O4 Si


Relative stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L13 37 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 9H-Purin-2-amine, 6-chloro-9-[4-[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-2-cyclopenten-1-yl]-, (1R-cis)- (9CI)
 MF C17 H26 Cl N5 O Si


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L13 37 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 6H-Purin-6-one, 2-amino-9-[(1S,3R,4S)-4-[[[(1,1-dimethylethyl)dimethylsilyl]oxy]-3-(hydroxymethyl-t)-2-methylenecyclopentyl]-1,9-dihydro- (9CI)
 MF C18 H28 N5 O3 Si T

Absolute stereochemistry.



L13 37 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 9H-Purin-2-amine, 9-[4-[[[dimethyl(1,1,2-trimethylpropyl)silyl]oxy]methyl]-
 2-cyclopenten-1-yl]-6-(2-methoxyethoxy)-, cis- (9CI)
 MF C22 H37 N5 O3 Si


Relative stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L13 37 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN Propanamide, N-[9-[3-[[[dimethyl(1,1,2-trimethylpropyl)silyl]oxy]-4-[[[(4-methoxyphenyl)methoxy]methyl]cyclopentyl]-6-[2-(4-nitrophenyl)ethoxy]-9H-purin-2-yl]-2,2-dimethyl-, [1R-(1 α ,3 β ,4 α)]- (9CI)
 MF C40 H56 N6 O7 Si


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L13 37 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 6H-Purin-6-one, 2-amino-9-[4-[[[dimethyl(1,1,2-trimethylpropyl)silyl]oxy]methyl]-2,3-dihydroxycyclopentyl]-1,9-dihydro-,
 [1R-(1 α ,2 β ,3 β ,4 α)]- (9CI)
 MF C19 H33 N5 O4 Si

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L13 37 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 9H-Purin-2-amine, 6-chloro-9-[4-[[[(1,1-dimethylethyl)diphenylsilyl]oxy]methyl]-1-cyclopenten-1-yl]- (9CI)
 MF C27 H30 Cl N5 O Si



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L13 37 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 6H-Purin-6-one, 2-amino-9-[(1S,3R,4S)-4-[[[(1,1-dimethylethyl)dimethylsilyl]oxy]-3-(hydroxymethyl)-2-methylenecyclopentyl]-1,9-dihydro- (9CI)
 MF C18 H29 N5 O3 Si


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L13 37 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 9H-Purin-2-amine, 9-[2,3-bis[[[(1,1-dimethylethyl)diphenylsilyl]oxy]methyl]cyclopentyl]-6-(2-methoxyethoxy)-, [1R-(1α,2β,3α)]- (9CI)
 MF C47 H59 N5 O4 Si2


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L13 37 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 9H-Purin-2-amine, 9-[3,4-bis[[[(1,1-dimethylethyl)diphenylsilyl]oxy]methyl]-2-cyclopenten-1-yl]-6-chloro-, (1S-trans)- (9CI)
 MF C44 H50 Cl N5 O2 Si2


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L13 37 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN Cyclopentanol, 3-(2-amino-6-methoxy-9H-purin-9-yl)-5-[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-2-fluoro-, (1 α ,2 β ,3 β ,5 β)- (9CI)
 MF C18 H30 F N5 O3 Si


Relative stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L13 37 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 9H-Purin-2-amine, 9-[4-[[[dimethyl(1,1,2-trimethylpropyl)silyl]oxy]methyl]-
 2-cyclopenten-1-yl]-6-[2-(trimethylsilyl)ethoxy]-, cis- (9CI)
 MF C24 H43 N5 O2 Si2


Relative stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L13 37 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 9H-Purin-2-amine, 6-chloro-9-[4-[[[(1,1-dimethylethyl)dimethylsilyl]oxy]me-
 thyl]-2-cyclopenten-1-yl]-, cis- (9CI)
 MF C17 H26 Cl N5 O Si


Relative stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L13 37 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN Acetamide, N-[9-[4-[[[dimethyl(1,1,2-trimethylpropyl)silyl]oxy]methyl]-2-cyclopenten-1-yl]-6,9-dihydro-6-oxo-1H-purin-2-yl]-, (1R-cis)- (9CI)
 MF C21 H33 N5 O3 Si


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L13 37 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 9H-Purin-2-amine, 6-chloro-9-[4-[[[(1,1-dimethylethyl)diphenylsilyl]oxy]methyl]-2-cyclopenten-1-yl]-, cis- (9CI)
 MF C27 H30 Cl N5 O Si


Relative stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L13 37 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN Methanimidamide, N'-[9-[(1S,3R,4S)-4-[[[(1,1-dimethylethyl)dimethylsilyl]oxy]-3-(hydroxymethyl)-2-methylenecyclopentyl]-6,9-dihydro-6-oxo-1H-purin-2-yl]-N,N-dimethyl- (9CI)
 MF C21 H34 N6 O3 Si


Absolute stereochemistry.
 Double bond geometry unknown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L13 37 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN Cyclopentaneacetic acid, 2-[[[(1,1-dimethylethyl)diphenylsilyl]oxy]methyl]-4-[2-[(2-methyl-1-oxopropyl)amino]-6-[2-(4-nitrophenyl)ethoxy]-9H-purin-9-yl]-, methyl ester, (1 α ,2 β ,4 α)- (9CI)
 MF C42 H50 N6 O7 Si


Relative stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L13 37 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 9H-Purin-2-amine, 9-[3,4-bis[[[(1,1-dimethylethyl)diphenylsilyl]oxy]methyl
]-2-cyclopenten-1-yl]-6-chloro-, (1R-cis)- (9CI)
 MF C44 H50 Cl N5 O2 Si2


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L13 37 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 9H-Purin-2-amine, 9-[4-[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-2-fluoro-3-(triphenylmethoxy)cyclopentyl]-6-methoxy-N-(triphenylmethyl)-, (1α,2α,3β,4α)- (9CI)
 MF C56 H58 F N5 O3 Si

Relative stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

ALL ANSWERS HAVE BEEN SCANNED

=> b home
FILE 'HOME' ENTERED AT 13:10:58 ON 26 MAY 2004

=>